Burch



Repeats Not Shown to Scale.

Watercolor Mineral 1008191

Meets or exceeds all ACT® Standards

Made in the USA Incase Seating Fabric Bleach Cleanable PFAS Free stock may be available



*ACT® Registered Certification Marks

Fabric Specifications

Content	100% Polyester
Finish	Incase
Backing	Acrylic
Bleach Cleanable	Yes Ratio: 90% Water / 10% Bleach Solution
Weight	16.38 oz. per linear yd
Width	54"
Roll Size	50 yards
Ends/Picks	Ends: 80 per inch Picks: 111 per inch
Repeat	H - 28.625 " V - 29.25 "
Directional	Yes
Railroaded	No
Country of Origin	USA

Additional Attributes

Additional Attributes		
PFAS Free	In transition to PFAS Free Sku-Dependent Contact Customer Care	
High Performance	Yes	
Certifications		
Greenguard Gold Certified	Yes - Incase Technology is Greenguard Gold Certified	
Recommended C	leaning	
Please refer to Detaile	ed Cleaning Instructions.	

Performance Characteristics

Abrasion Resistance ASTM D4157	90,000 double rubs*		
Brush Pill ASTM D3511	4		
Tensile Strength ASTM D5034	Warp: 148.0 lbs. Fill: 274.0 lbs.		
Tear Strength ASTM D2261-96	Warp: 35.0 lbs. Fill: 32.0 lbs.		
Seam Slippage ASTM D4034	Warp: 71.0 lbs. Fill: 47.0 lbs.		
Colorfastness to Crocking AATCC 8	Dry: 4.0 Wet: 3.0		
Colorfastness to Light AATCC 16	Hours: 40.0 Class: 4.0		
Flammability**			
CAL TB 117-2013	Passes		
NFPA 260	Class 1		
UFAC	Class 1		

Although we try hard to make sure colors on our site are accurate, actual colors may vary. Please order samples prior to making a purchase.

 $\label{thm:continuous} Final\ determination\ of\ the\ suitability\ of\ this\ product\ for\ an\ application\ rests\ with\ the\ user.$

- ${}^{\star}\,\text{Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.}$
- ** This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.