

_	0		101		- 1	es	4.1	2	~				-	100	<b>ጎ</b> ተ	-	M	
	~1			ι.	- 1						~				-11	•	II W	,
	v.	~		•		$\sim$	•		9	-	-~	$\sim$	$\mathbf{}$		~ .	$\sim$		

Pattern Tested:

Runway

Date:

10/23/2013

Tested For:

**Burch fabrics** 

Test Performed:

NFPA 260/UFAC Fabric Classification Test Method 1990

Cal 117-2013 based on prior testing to UFAC/NFPA 260

Cigarette Ignition Resistance of Fabric Intended for Use in Upholstered Furniture

RESULTS:

Specimen	Ignition (Yes/No/SE)	Char Length Or (inches)	r Vertical Panel
#1	DNI	1.00	
#2	DNI	1.00	
#3	DNI	0.88	

SE - Indicates that the cigarette self extinguished prior to burning its entire length. When this occurs, a "retest" of that specimen is performed

Remarks: NONE

## Classification System:

Class 1 -

For each specimen: No obvious ignition; char length less than 1.75" (Indicates propensity to resist cigarette ignition in conjunction with standard

foam filling material.)

Class 2 -

For any specimen: Obvious ignition or char length 1.75" or greater (Indicates inability to resist cigarette ignition with standard foam filling materials)

Conclusion:

Based on the above results and acceptance criteria, the item tested is assigned a:

(XX) Class 1 Rating ( ) Class 2 Rating

Certification: I certify that the above results were the result of testing on the construction listed above in accordance with the testing procedures and equipment specified by NFPA 260/UFAC Fabric Classification Test Method 1990

Authorized Signature