

# DIVERSIFIED

ORLDWIDE SERVICE

- "We Test Per Your Request"

336 WEST FRONT STREET P.O.BOX 4004 BURLINGTON, NORTH CAROLINA 27215 PHONE (336) 227-7710 • FAX (336) 227-1175 www.diversifiedtestinglabs.com

March 26, 2019

BURCH FABRICS 4200 Brockton Drive SE Grand Rapids MI 49512

Reference: Laboratory Test Report

Lab Identification No. 35129

Invoice No. 66297

To Whom it May Concern:

One (1) sample, identified as SILVERTEX, was received and tested in accordance with the California Technical Bulletin 117-2013, Section 1, Cover Fabric Test. The results are as follows:

# **Test Results**

Vertical Char Lengths

8mm

8mm

10<sub>mm</sub>

The sample submitted meets the requirements of the above standard. There were no ignitions or smoldering after 45 minutes on any of the three specimens tested. In addition, none of the three test specimens displayed a char which was greater than 45 mm.

If there are any questions or when we can be of futher assistance, please let us know.

Sincerely,

Brian S. Dement

BSD/mr



Page 1

Received: 09/24/2008 | Completed: 09/26/2008 | Letter: 17 P.O.#: Test Report #: 2-75474-0-07 Client's Silvertex Identification Tested For: Key Test: NFPA 260 Cover Fabric (BLDG) 105 BURCH -Tel: 1-(205)-985-4206 Ext: 124 Fax: 1-(205)-985-9176

Test Category: NFPA 260 Fabric Specifier: Bldg. Codes PC: 4H /jd

TEST PERFORMED: NFPA 260 Standard Methods of Tests and Classification System for Cigarette Ignition Resistance of Components of Upholstered Furniture; Cover Fabric Test

RETEST (If Required) Char Length Char Length On Vertical Panel (mm) Ignition Ignition On Vertical Specimen # (yes/no/SE) (yes/no/SE) Panel (mm) ----------------1 SE 10 SE 12 2 SE 10 SE 9 SE 12 SE 13

# ABBREVIATION WHICH MAY BE USED:

TEST

SE: Indicates that the cigarette self extinguished prior to burning its entire length. When this occurs, a "retest" of that specimen is performed.

REMARKS: None.

RESULTS:

#### CLASSIFICATION SYSTEM:

Class I - For each specimen: No obvious ignition; maximum char length 45 mm (1.75"). (Indicates propensity to resist cigarette ignition in conjunction with standard foam filling material.)

Class II - For any specimen: Obvious ignition; or char length exceeding 45 mm (1.75"). (Indicates inability to resist digarette ignition in conjunction with standard foam filling material.)

CONCLUSION: Based on the above Results and Classification System, the item tested is assigned a:

[x] Class I rating [ ] Class II rating

(Page 1 of 2)



Page 2

Received: 09/24	1/2008 Completed: 09/26/2008	Letter: 17	rb	P.O.#:	Test Report #:	2-7547	4-0-07
Client's Identification	Silvertex						
Tested For:	BURCH			Key Test:	Key Test: NFPA 260 Cover Fabric (BLDG)		
	FABRICS				1-(205)-985-4206 1-(205)-985-9176	Ext: 124	

CODE INFORMATION: In accordance with --

- (1) The 2006 Edition of the NFPA Life Safety Code 101, paragraph 10.3.2.1(1);
- (2) The 2006 Edition of the International Fire Code, paragraph 805.1.1.1, 805.2.1.1 and 805.3.1.1

Upholstered furniture components shall be Class I when tested in accordance with NFPA 260, when used in:

Detention or correctional occupancy Health care occupancy Residential board & care occupancy

In certain situations an exception is made if the rooms or areas are sprinklered.

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified by NFPA 260.

AUTHORIZED SIGNATURE

THE GOVMARK ORGANIZATION, INC. /jb

(Page 2 of 2)



Page 1

PC.4H

TEST PERFORMED: UFAC Fabric Classification Test Method 1990

Cigarette Ignition Resistance of Fabric Intended for Use in Upholstered Furniture

RESULTS: TEST RETEST (If Required) \_\_\_\_\_ Char Length on Char Length on Vertical Panel Ignition Ignition Vertical Panel Specimen # (yes/no/SE) (inches) (yes/no/SE) (inches) -------------------SE SE 10 8 2 SE SE 8 8 3 SE SE 12

# ABBREVIATION WHICH MAY BE USED:

SE: Indicates that the cigarette self-extinguished prior to burning its entire length. When this occurs, a "retest" of that specimen is performed.

# CLASSIFICATION SYSTEM:

- Class I For each specimen: No obvious ignition; char length less than 1.75". (Indicates propensity to resist digarette ignition in conjunction with standard foam filling material.)
- Class II For any specimen: Obvious ignition or char length 1.75" or greater.

  (Indicates inability to resist cigarette ignition in conjunction with standard foam filling material.)

### RETEST PROVISION:

Applies only to cigarettes that self-extinguish. It does not apply to specimens which ignite or have a char length of 1.75" or greater.

CONCLUSION: Based on the above Results and Criteria, the item tested is assigned a:

[x] Class I rating; [ ] Class II rating

(Page 1 of 2)



Page 2

eceived:09/24/2	008 Completed: 09/2	6/2008 Letter: 19	rb	P.O.#:	-	Test Report #:	2-75474-0-09
lient's S	ilvertex						
lentification				Ke	Test: UF	AC Fabric	105
ested For:	BURCH						
	BURCH				Tel: 1-(	205)-985-4206 205)-985-9176	Ext: 124
					100.		
MARKS: No	ne.						
				b.t.a.inad	after to	eting enecimens	in accordance
ERTIFICATION	N: I certify that cedures and equip	t the above resul	ts we / UFAC	Fabric Cla	sificat	ion Test Method	1990.
Ich che pro		,					
2	)						
UTHORIXED S	IGNATURE	797		(Pag	e 2 of 2	1	
HE GOVMARK	ORGANIZATION, INC	2. /]Þ		trag	5 2 01 2	r	